



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/039,625	10/19/2001	Michael Dwight Vander Vorste	L-1610	2494

7590

11/19/2003

Howard R. Lambert
5245 Gatewood Lane
Anaheim, CA 92807

EXAMINER

TA, THO DAC

ART UNIT	PAPER NUMBER
----------	--------------

2833

DATE MAILED: 11/19/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/039,625

Applicant(s)

VANDER VORSTE ET AL.

Examiner

Tho D. Ta

Art Unit

2833

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 September 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 25-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 25-36 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/02/03 has been entered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 25-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admitted prior art (fig. 1) in view of Lee et al. (6,220,880).

Applicant's admitted prior art (fig. 1) discloses generally all that is claimed except that the cutout 36 for receiving the IEC AC power outlet connector of the enclosure 18 can not receive the NEMA-type AC power outlet connector.

Lee et al. teaches that the adapter 4 (figures 14-17) can be used to fit different electric codes in different countries (see column 4, lines 1 and 2).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Applicant's admitted prior art by providing the

Art Unit: 2833

adapter as taught by Lee et al. to the NEMA-type AC power outlet connector in order to provide the connector with more versatilities.

Applicant's admitted prior art (fig. 1) discloses generally all that is claimed except for the as-claimed dimension of the cutout and the distance between the screw mounting holes. It would have been obvious to modify Lee et al. invention by having the dimension of the cutout and the distance between the screw mounting holes as-claimed since variations in the distance would have been obvious minor adjustments without patentable significance. See In re Aller, 105 USPQ 233 (CCPA 1955) (Where general conditions of the claim are disclosed in the prior art, it is not inventive to discover optimal or workable ranges by routine experimentation).

Regarding to the particular dimensions of the cutout and the distance between the screw mounting holes, to the extent that Applicant's admitted prior art (fig. 1) as modified by Lee et al. does not specify exact dimensions, at the time of the invention, workable dimensions of the cutout and the distance between the screw mounting holes would have been a matter of routine experimentation. In re Antonie, 559 F.2d 618 (CCPA 1977). Further, claimed variations in relative dimensions, which do not specify a device which performs or operates any differently from the prior art, do not patentably distinguish applicant's invention. Gardner v. TEC Systems, Inc., 725 F.2d 1338 (Ct. App. Fed. Cir. 1984).

Response to Arguments

4. Applicant's arguments with respect to claims 25-36 have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 2833

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tho D. Ta whose telephone number is (703) 308-0800. The examiner can normally be reached on M-F (8:00-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula A. Bradley can be reached on (703) 308-2319.

Art Unit: 2833

Effective **October 1, 2003**, all patent application related correspondence transmitted by facsimile must be directed to the central facsimile number, **(703) 872-9306**, with a few exceptions *See Fax Automation in Technology Center 1700, 1237 Off. Gaz. Pat. Office 140* (August 29, 2000). Replies to Office actions including after-final amendments that are transmitted by facsimile must be directed to the central facsimile number. Unofficial correspondence such as draft proposed amendments for interviews may continue to be transmitted by facsimile to the Technology Centers (TCs). *See Fax Automation in Technology Center 1700, 1237 Off. Gaz. Pat. Office 140* (August 29, 2000).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.


THO D. TA
PRIMARY EXAMINER

tdt
11/17/03